

TIE DOWNS SURE-LOK SYSTEMS

AL800 TITAN SERIES SYSTEMS

AL800 SERIES IS THE STRONGEST TITAN RETRACTOR EVER MADE. THE NEW TITAN800 WAS BUILT WITH AN INNOVATIVE ENERGY DISTRIBUTION DESIGN FOR MAXIMUM LOAD CAPACITY TO MEET THE LATEST INDUSTRY REGULATIONS. FEATURES INCLUDE: J-HOOK, POSITIVE LOCKING INTERFACE (PLI) FITTING, AUTO-TENSION & AUTO-LOCK, AND LOW PROFILE.



AL800855S
RETRACTOR WITH L
TRACK FITTING



AL800944S-SNC
RETRACTOR WITH SLIDE
N CLICK FITTING

TIITAN800 KITS WITH OCCUPANT RESTRAINTS

<u>FITTING</u>	<u>KIT PART #</u>	<u>INCLUDED IN KIT</u>
L TRACK	AL812S-4C	AL800855S (4) & AL700727HA (1)
L TRACK	AL812S-4C-7	AL800855S (4) & AL700868-4 (1)
SNC	AL860S-4C-SNC	AL800944S-SNC (4), Q8-7580-A (4), & AL700727HA(1)

TIITAN800 KITS WITHOUT OCCUPANT RESTRAINTS

<u>FITTING</u>	<u>KIT PART #</u>	<u>INCLUDED IN KIT</u>
L TRACK	AL827S-4C	AL800855S (4)
SNC	AL861S-4C-SNC	AL800944S-SNC (4) & Q8-7580-A (4)

TIE DOWNS

SURE-LOK SYSTEMS

AL700 TITAN SERIES SYSTEMS

With its distinctive blue webbing and highly-visible, yellow “locked” indicator tag, the AL700 Titan Retractor Series lets operators know when the retractor is in locked mode. This auto-tension, auto-lock wheelchair securement system allows operators to quickly secure a wheelchair in seconds -- with only one hand. The Titan Retractor System has a low-profile bracket and a sleeker, cleaner retractor case with a stud fitting to attach the occupant restraint system.



AL700907S
L.H. RETRACTOR L
TRACK FITTING

AL700855S
R.H RETRACTOR L
TRACK FITTING



AL700945S-SNC
L.H. RETRACTOR SNC
FITTING

AL700944S-SNC
R.H RETRACTOR SNC
FITTING

TIITAN700 KITS WITH OCCUPANT RESTRAINTS

<u>FITTING</u>	<u>KIT PART #</u>	<u>INCLUDED IN KIT</u>
L TRACK	AL712S-4C	AL700855S (2), AL700907S (2), & AL700727HA (1)
L TRACK	AL712S-4C-7	AL700855S (2), AL700907S (2), & AL700868-4 (1)
SNC	AL760S-4C-SNC	AL700944S-SNC (2), AL700945S-SNC (2), Q8-7580-A (4), & AL700727HA (1)

TIITAN800 KITS WITHOUT OCCUPANT RESTRAINTS

<u>FITTING</u>	<u>KIT PART #</u>	<u>INCLUDED IN KIT</u>
L TRACK	AL727S-4C	AL700855S (2) & AL700907S (2)
SNC	AL761S-4C-SNC	AL700944S-SNC (2), AL700945S-SNC (2), & Q8-7580-A (4)

TIE DOWNS SURE-LOK SYSTEMS

FF600 RETRACTOR SERIES SYSTEMS

The FF600 Retractor System is a proven and convenient way to secure passengers in wheelchairs. Our dual, 24-teeth sprocket mechanism enables the user to more easily increase tension on the webbing. And the versatility of the system offers users a choice of S-Hook or Buckle & Tab hardware attachment styles.

S-Hook Attachment



FE200855S

L. H. RETRACTOR WITH L TRACK
FITTING AND S-HOOK

FE200907S

R.H RETRACTOR WITH L TRACK
FITTING AND S-HOOK



FE200944S-SNC

L.H. RETRACTOR WITH SNC
FITTING AND S-HOOK

FE200945S-SNC

R.H RETRACTOR WITH SNC
FITTING AND S-HOOK

FF600 RETRACTOR SERIES KITS WITH OCCUPANT RESTRAINTS

<u>FITTING</u>	<u>KIT PART #</u>	<u>INCLUDED IN KIT</u>
L TRACK	FF612S-4C	FE200855S (2), FE200907S (2), & FE200727HA (1)
L TRACK	FF612S-4C-7	FE200855S (2), FE200907S (2), & FE200868-4 (1)
SLIDE N CLICK	FF660S-4C-SNC	FE200944S-SNC (2), FE200945S-SNC (2), Q8-7580-A (4), FE200727HA (1)

FF600 RETRACTOR SERIES KITS WITHOUT OCCUPANT RESTRAINTS

<u>FITTING</u>	<u>KIT PART #</u>	<u>INCLUDED IN KIT</u>
L TRACK	FF627S-4C	FE200855S (2) & FE200907S (2)
SLIDE N CLICK	FF661S-4C-SNC	FE200944S-SNC (2), FE200945S-SNC (2), & Q8-7580-A (4)

CALL US @ 800/581-4735

117

T
I
E
D
O
W
N
S
Y
S
T
E
M
S

TIE DOWNS SURE-LOK SYSTEMS

FF600 RETRACTOR SERIES SYSTEMS

The FF600 Retractor System is a proven and convenient way to secure passengers in wheelchairs. Our dual, 24-teeth sprocket mechanism enables the user to more easily increase tension on the webbing. And the versatility of the system offers users a choice of S-Hook or Buckle & Tab hardware attachment styles.

Buckle & Tab Attachment



FE200855

L. H. RETRACTOR WITH L TRACK
FITTING AND BUCKLE/TAB

FE200907

R.H RETRACTOR WITH L TRACK
FITTING AND BUCKLE/TAB



FE200944-SNC

L.H. RETRACTOR WITH SNC
FITTING AND BUCKLE/TAB

FE200945-SNC

R.H RETRACTOR WITH SNC
FITTING AND BUCKLE/TAB

FF600 RETRACTOR SERIES KITS WITH OCCUPANT RESTRAINTS

<u>FITTING</u>	<u>KIT PART #</u>	<u>INCLUDED IN KIT</u>
L TRACK	FF612-4C	FE200855 (2), FE200907 (2), & FE200727HA (1)
SLIDE N CLICK	FF660-4C-SNC	FE200944-SNC (2), FE200945-SNC (2), Q8-7580-A (4), & FE00727HA (1)

FF600 RETRACTOR SERIES KITS WITHOUT OCCUPANT RESTRAINTS

<u>FITTING</u>	<u>KIT PART #</u>	<u>INCLUDED IN KIT</u>
L TRACK	FF627-4C	FE200855 (2) & FE200907 (2)
SLIDE N CLICK	FF661-4C-SNC	FE200944-SNC (2), FE200945-SNC (2), & Q8-7580-A (4)

TIE DOWNS SURE-LOK SYSTEMS

FE500 MANUAL SERIES SYSTEMS

Determine which FE500 System is right for you. Select the Floor Anchor type you have or want installed, and choose the attachment style. Then just order the corresponding kit part number. It's that easy. Tie-down assembly part numbers are listed in the chart below and tie-down kit part numbers are in the chart on the opposite page.

Snap Hook & D-Ring Attachment



FE200602
Cam Buckle w/
Snap Hook &
D-Ring



FE200603
Overcenter Buckle
w/Snap Hook &
D-Ring



FE200783
Ratchet Buckle
w/Snap Hook &
D-Ring

FE500 MANUAL SERIES KITS WITH OCCUPANT RESTRAINTS

<u>FITTING</u>	<u>KIT PART #</u>	<u>INCLUDED IN KIT</u>
L TRACK	FE576	FE200602 (2), FE20063 (2), FE200595 (1), & FE200599 (1)

FE500 MANUAL SERIES KITS WITH OUT OCCUPANT RESTRAINTS

<u>FITTING</u>	<u>KIT PART #</u>	<u>INCLUDED IN KIT</u>
L TRACK	FE514	FE200602 (2) & FE200603 (2)
L TRACK	FE517	FE200603 (4)
L TRACK	FE522	FE200602 (2) & FE200783 (2)
L TRACK	FE523	FE200783 (4)

TIE DOWNS SURE-LOK SYSTEMS

FE500 MANUAL SERIES SYSTEMS

S-HOOK Attachment



FE200603LS
Overcenter
Buckle W/LH
S-Hook



FE200603RS
Overcenter
Buckle W/RH
S-Hook



FE200602LS
Cam Buckle
W/LH S-Hook



FE200602RS
Cam Buckle
W/RH S-Hook



FE200783LS
Ratchet
Buckle W/LH
S-Hook



FE200783RS
Ratchet
Buckle W/RH
S-Hook

FE500 MANUAL SERIES KITS WITH OCCUPANT RESTRAINTS

FITTING
L TRACK

KIT PART #
FE514S-1

INCLUDED IN KIT
FE200602RS (1), FE200602LS (1), FE200603RS (1),
FE200603LS (1) & Q5-7571-A (4)

FE500 MANUAL SERIES KITS WITH OUT OCCUPANT RESTRAINTS

FITTING
L TRACK

KIT PART #
FE514S

INCLUDED IN KIT
FE200602RS (1), FE200602LS (1), FE200603RS (1),
& FE200603LS (1)

L TRACK
L TRACK

FE517S
FE522S

FE200603RS (2) & FE200603LS
FE200602RS (1), FE200602LS (1), FE200783RS (1),
& FE200783LS (1)

L TRACK

FE523S

FE200783RS (2) & FE200783LS (2)

SURE-LOK SYSTEMS

PARALLEL LAP BELTS

The Parallel Lap Belt attaches directly to the floor track or plates and used with a shoulder belt provides a complete occupant restraint system that secures the passenger separately and independently from the wheelchair securement system. Each Premium Lap Belt contains three push-button buckles for greater versatility of attachment, two webbing adjusters for increased placement capability and web stiffeners for ease of installation. Each Standard Lap Belt contains a single push-button buckle and two webbing adjusters for increased placement capability.



FE200600
PREMIUM LAP BELT FOR SERIES
L TRACK (108" LONG)



FE200594
STANDARD LAP BELT FOR SERIES
L TRACK (98" LONG)

INTEGRATED LAP BELTS

The Integrated Lap Belt attaches directly to the rear tie-down assemblies of the wheelchair securement system. Used with a shoulder belt, it provides a complete occupant restraint system that is an "integrated" part of the wheelchair securement. Each Integrated Lap Belt contains a single push button buckle and webbing adjuster(s) for increased placement capability.



AL700842
INTEGRATED LAP BELT (96" LONG)
FOR USE WITH AL700 TITAN SYSTEMS ONLY




FE200842
INTEGRATED LAP BELT (96" LONG)
INTEGRATED LAP BELT WITH SNAP HOOKS TO
ATTACH TO D-RING ON REAR WHEELCHAIR TIE
DOWN ASSY.




FE200595
INTEGRATED LAP BELT (80" LONG)
LAP BELT WITH SNAP HOOKS TO ATTACH TO D-RING
ON REAR WHEELCHAIR TIE-DOWN ASSY.
FOR USE WITH FE500 MANUAL SERIES SYSTEMS
ONLY.



FE200637-14 13" LONG
FE200637-020-14 20" LONG
LAP BELT EXTENSION



AL700727HA-LAP
LAP BELT CONNECTOR ASSY
FOR USE WITH TITAN INTEGRATED
COMBINATION BELT.



FE700727HA-LAP
LAP BELT CONNECTOR ASSY
FOR USE WITH INTEGRATED
COMBINATION BELT.

SURE-LOK SYSTEMS

INTEGRATED COMBINATION BELTS

The Integrated Combination Belt provides a shoulder belt and integrated lap belt that are incorporated into a fully retractable unit. It combines the automatic adjustability of a shoulder belt with the easy installation of an integrated lap belt. The web guide can be mounted directly to vehicle sidewall or Series L Track with FE200745, FE200747 or FE200736 Mounting Hardware Kit. Retractor can be mounted to vehicle floor or sidewall, or can be converted from fixed-point to track application with FE200747, FE201037 or FE201039 Mounting Hardware Kit.



AL700727 AL700 TITAN SYSTEM ONLY INTEGRATED COMBINATION BELT

THIS BELT HAS TRIANGULAR FITTINGS TO ATTACH LAP BELT TO STUD ON REAR WHEELCHAIR TIE-DOWN RETRACTOR ASSEMBLIES. A VELCRO STRAP IS PROVIDED TO KEEP BELT AGAINST THE VEHICLE SIDEWALL WHEN NOT IN USE.



FE200727

INTEGRATED COMBO BELT
THIS BELT HAS THE SNAP HOOKS TO ATTACH LAP BELT TO D-RINGS ON REAR WHEELCHAIR TIE-DOWN ASSEMBLIES. A VELCRO STRAP IS PROVIDED TO KEEP BELT AGAINST THE VEHICLE SIDEWALL WHEN NOT IN USE.

FE200856

THIS BELT IS DESIGNED TO ALLOW THE RETRACTOR TO BE INSTALLED ON A SIDEWALL RAIL, WHICH IS TYPICALLY MOUNTED 10" ABOVE THE VEHICLE FLOOR.



AL700727HA TITIAN SYSTEM ONLY INTEGRATED COMBINATION BELT WITH HEIGHT ADJUSTER

THIS BELT HAS TRIANGULAR FITTINGS TO ATTACH LAP BELT TO STUD ON REAR WHEELCHAIR TIE-DOWN RETRACTOR ASSEMBLIES. HEIGHT ADJUSTER PROVIDES NEARLY 12" OF VERTICAL ADJUSTMENT TO ALLOW PROPER SHOULDER BELT PLACEMENT ON THE OCCUPANT.



FE200727HA

**INTEGRATED COMBINATION
BELT WITH HEIGHT
ADJUSTER**

THIS BELT HAS SNAP HOOKS TO ATTACH LAP BELT TO D-RING ON REAR TIE-DOWN ASSEMBLIES. HEIGHT ADJUSTER PROVIDES EARLY 12" OF VERTICAL ADJUSTMENT TO ALLOW PROPER SHOULDER BELT PLACEMENT ON THE OCCUPANT. A VELCRO STRAP IS PROVIDED TO KEEP BELT AGAINST THE VEHICLE SIDEWALL WHEN NOT IN USE.

FE200856HA

THIS BELT IS DESIGNED TO ALLOW THE RETRACTOR TO BE INSTALLED ON A SIDEWALL RAIL, WHICH IS TYPICALLY MOUNTED 10" ABOVE THE VEHICLE FLOOR.

SURE-LOK SYSTEMS

DUAL RETRACTABLE INTEGRATED COMBINATION BELTS

The Dual Retractable Integrated Combination Belt offers two retractors for easier webbing adjustment. The height of the belt can be adjusted for proper shoulder belt placement on the occupant simply by pushing a release button on the upper retractor. In addition to this feature, this belt can be moved front to back along the vehicle sidewall, without the use of tools, by simply removing the L fittings from the vehicle track.



AL700868-2 FOR AL700 TITAN SYSTEM ONLY

DUAL RETRACTOR INTEGRATED COMBINATION BELT

THIS BELT HAS TRIANGULAR FITTINGS TO ATTACH LAP BELT TO STUD ON REAR WHEELCHAIR TIE-DOWN RETRACTOR ASSEMBLIES AND A FLAT MOUNTING BRACKET ON THE UPPER RETRACTOR.

AL700868-4

THIS BELT OFFERS AN ANGLED MOUNTING BRACKET ON THE UPPER RETRACTOR TO ACCOMMODATE ANGLED VEHICLE SIDEWALL WIRE MOLDING.



FE200868-2

DUAL RETRACTOR INTEGRATED COMBINATION BELT

THIS BELT HAS SNAP HOOKS TO ATTACH LAP BELT WITH SNAP HOOKS TO ATTACH LAP BELT TO D-RING ON REAR WHEELCHAIR TIE-DOWN ASSEMBLIES AND A FLAT MOUNTING BRACKET ON THE UPPER RETRACTOR.

FE200868-4

THIS BELT OFFERS AN ANGLED MOUNTING BRACKET ON THE UPPER RETRACTOR TO ACCOMMODATE ANGLED VEHICLE SIDEWALL WIRE MOLDING.

SURE-LOK SYSTEMS

T
I
E
D
O
W
N

S
Y
S
T
E
M
S



FE200599 52" LONG

FE200732 82" LONG

NON-RETRACTABLE SHOULDER BELT FOR SERIES L TRACK
THIS BELT ATTACHES TO SERIES L TRACK ON VEHICLE SIDEWALL, PROVIDING INCREASED POSITIONING FLEXIBILITY FOR MULTIPLE STATION VEHICLES.



FE200710 52" LONG

FE200710L 82" LONG

NON-RETRACTOR FIXED POINT SHOULDER BELT

THIS BELT CAN BE MOUNTED DIRECTLY TO THE VEHICLE SIDEWALL OR SERIES L TRACK WITH FE200745, FE200747 OR FE200736 MOUNTING HARDWARE KIT.



FE200599HA 72" LONG

NON-RETRACTABLE SHOULDER BELT BELT WITH HEIGHT ADJUSTER

THIS BELT ATTACHES TO SERIES L TRACK ON VEHICLE SIDEWALL AND FLOOR, PROVIDING INCREASED POSITIONING FLEXIBILITY FOR MULTIPLE STATION VEHICLES. HEIGHT ADJUSTER PROVIDES NEARLY 12" OF VERTICAL ADJUSTMENT TO ALLOW PROPER SHOULDER BELT PLACEMENT ON THE OCCUPANT. A VELCRO STRAP IS PROVIDED TO KEEP BELT AGAINST THE VEHICLE SIDEWALL WHEN NOT IN USE.



FE200710HA 72" LONG

NON-RETRACTOR FIXED-POINT SHOULDER BELT WITH HEIGHT ADJUSTER

THIS BELT'S WEB GUIDE CAN BE MOUNTED DIRECTLY TO THE VEHICLE SIDEWALL OR SERIES L TRACK WITH FE200745, FE200747 OR FE200736 MOUNTING HARDWARE KIT. BOTTOM BRACKET CAN BE CONVERTED FROM A FIXED-POINT TO A TRACK APPLICATION WITH FE200747, FE201037 OR FE201039 MOUNTING HARDWARE KIT. HEIGHT ADJUSTER PROVIDES NEARLY 12" VERTICAL ADJUSTMENT TO ALLOW PROPER TO KEEP BELT ENDS UP AGAINST THE VEHICLE SIDEWALL WHEN NOT IN USE.

SURE-LOK SYSTEMS

SHOULDER BELTS



FE200865 63" LONG

NON-RETRACTABLE FIXED-POINT SHOULDER BELT WITH QUICK DISCONNECT

THIS BELT CAN BE MOUNTED TO THE EXISTING ORIGINAL EQUIPMENT SHOULDER BELT ANCHOR BOLT. THIS ALLOWS IT TO BE USED ALONG WITH THE ORIGINAL EQUIPMENT SHOULDER BELT. THIS BELT CAN BE EASILY REMOVED, BY USING THE SIGNAL PUSH BUTTON BUCKLE, ALLOWING A PASSENGER SITTING ON THE FLIP SEAT TO USE THE ORIGINAL EQUIPMENT SHOULDER BELT. WHEN A WHEELCHAIR IS PLACED IN THE SAME AREA, THE BELT CONNECTS TO ITS SHORT ANCHOR STRAP BY USING THE SINGLE PUSH-BUTTON BUCKLE.



FE200936 100" LONG

RETRACTABLE FIXED-POINT SHOULDER BELT

THIS BELT PROVIDES AUTOMATIC WEBBING ADJUSTMENT FOR PROPER BELT PLACEMENT ON THE OCCUPANT. RETRACTOR CAN BE MOUNTED DIRECTLY TO THE UPPER POINT OF VEHICLE SIDEWALL WITH MOUNTING HARD WARE INCLUDED.



FE200604 112" LONG

FE200604L 136" LONG

RETRACTABLE FIXED-POINT SHOULDER BELT

THIS BELT PROVIDES AUTOMATIC WEBBING ADJUSTMENT. WEB GUIDE CAN BE MOUNTED DIRECTLY TO THE VEHICLE SIDEWALL OR SERIES L TRACK WITH FE200745, FE200747, OR FE200736 MOUNTING HARDWARE KIT. RETRACTOR CAN BE MOUNTED TO THE VEHICLE FLOOR OR SIDEWALL, OR CAN BE CONVERTED FROM A FIXED POINT TO A TRACK APPLICATION WITH FE200747, FE201037 OR FE201039 MOUNTING HARDWARE KIT.



FE200604HA 136" LONG

RETRACTABLE FIXED-POINT SHOULDER BELT WITH HEIGHT ADJUSTER

THIS BELT PROVIDES AUTOMATIC WEBBING ADJUSTMENT. WEB GUIDE CAN BE MOUNTED DIRECTLY TO THE VEHICLE SIDEWALL OR SERIES L TRACK WITH FE200745, FE200747 OR FE200736 MOUNTING HARD WARE KIT. RETRACTOR CAN BE MOUNTED TO THE VEHICLE FLOOR OR SIDEWALL, OR CAN BE CONVERTED FROM A FIXED POINT TO A TRACK APPLICATION WITH FE200747, FE201037 OR FE201039 MOUNTING HARDWARE KIT. HEIGHT ADJUSTER PROVIDES NEARLY 12" OF VERTICAL ADJUSTMENT TO ALLOW PROPER SHOULDER BELT PLACEMENT ON THE OCCUPANT. A VELCRO STRAP IS PROVIDED TO KEEP BELT AGAINST THE VEHICLE SIDEWALL WHEN ON IN USE.

SURE-LOK SYSTEMS



FE200745

SIDEWALL MOUNTING KIT
THIS KIT PROVIDES AN INSTALLATION POINT ON VEHICLE SIDEWALL FOR THE WEB GUIDE OF FIXED-POINT SHOULDER BELT.



FE200747

SERIES L TRACK MOUNTING KIT
THIS KIT ALLOWS SEMI-PERMANENT MOUNTING OF FIXED-POINT SHOULDER BELTS INTO SERIES L TRACK ON THE VEHICLE SIDEWALL.




FE200736

SERIES L TRACK ADJUSTABLE SIDEWALL MOUNTING KIT
THIS KIT CONVERTS FIXED-POINT OCCUPANT RESTRAINTS TO A SERIES L TRACK ON VEHICLE SIDEWALL. USED WITH FE201037 OR FE201039 MOUNTING KIT ON THE BOTTOM RETRACTOR.



FE201037

SERIES L TRACK MOUNTING KIT FOR OCCUPANT RESTRAINT RETRACTORS
THIS KIT CONVERTS FIXED-POINT RETRACTABLE OCCUPANT RESTRAINT RETRACTORS TO SERIES L TRACK APPLICATION ON VEHICLE FLOOR. USED WITH FE200736 SERIES L TRACK ADJUSTABLE SIDEWALL MOUNTING KIT, RETRACTABLE FIXED-POINT OCCUPANT RESTRAINTS CAN BE MOVED ALONG SERIES L TRACK.



FE201125

SIDEWALL MOUNTING KIT
THIS KIT PROVIDES AN INSTALLATION POINT ON VEHICLE SIDEWALL FOR THE WEB GUIDE OF FIXED-POINT OCCUPANT RESTRAINTS.

SURE-LOK SYSTEMS

FLOOR PLATES AND TRACK ACCESSORIES



Q5-7570-A
 SERIES L RECESSED
 FLOOR PLATE WITH
 COVER



Q5-7571-A
 SERIES L OVAL
 FLOOR PLATE KIT



FE201163
 SERIES L FLUSH
 MOUNT FLANGED
 FLOOR PLATE KIT



Q8-7580-A
 SLIDE 'N' CLICK FLOOR
 ANCHOR, BACKING
 PLATE, LOCK WASHER
 AND NUT



FE200777
 SERIES L CONNECTOR ASSY KIT
 THIS KIT CONVERTS FF600
 RETRACTOR SERIES WHEELCHAIR
 TIE-DOWN RETRACTOR ASSEMBLIES
 TO A SERIES L APPLICATION.




Q8-7580SL
 SLIDE 'N' CLICK CONNECTOR ASSY KIT
 THIS KIT CONVERTS AL700 TITAN
 OR FF600 SERIES WHEELCHAIR
 TIE-DOWN RETRACTOR ASSEMBLIES
 TO A SLIDE 'N' CLICK APPLICATION.



FE200744
 SERIES L TRACK SEAT
 STUD FITTING
 FOR USE IN MOUNTING
 VEHICLE SEATS
 INTO SERIES L TRACK.
 FOR FF600 SERIES.




FE200739
 SERIES L TRACK DOUBLE
 LUG STUD FITTING.
 THIS FITTING IS USED AS
 A BOLT-ON ANCHORING
 POINT FOR SERIES L
 TRACK APPLICATIONS
 WHERE HIGHER
 STRENGTH THAN THE
 FE200744 IS REQUIRED.



AL701051-14
 SERIES L TRACK SEAT
 STUD FITTING
 FOR USE IN MOUNTING
 VEHICLE SEATS
 INTO SERIES L TRACK.
 FOR TITAN SERIES.

SURE-LOK SYSTEMS

FLOOR PLATES AND TRACK ACCESSORIES



FE201172
SERIES L 3-LUG STUD FITTING



FE201006
L TRACK INSTALLATION
HARDWARE KIT, 5/16" BOLT,
WASHER & LOCK NUT, 100
PCS. EA.

FE201005
L TRACK INSTALLATION
HARDWARE KIT, 1/4" BOLT,
WASHER & LOCK NUT, 100
PCS. EA.



Q5-8525-SC2
SLIDE "N CLICK
STOWAGE BRACKET.
HOLDS 2 RETRACTORS



Q5-8525-SC
SLIDE 'N CLICK
STOWAGE
BRACKET. HOLDS
4 RETRACTORS



8663
SERIES L TRACK END
CAP
FOR USE IN MOUNTING
VEHICLE SEATS INTO SERIES
L TRACK.



QC06059
END CAP FOR
SURFACE ANGLED
SERIES L-TRACK



QC06058
END CAP FOR
FLANGE SERIES
L-TRACK



FE200751
PLASTIC FILLER
STRIP

SURE-LOK SYSTEMS

SYSTEM TRACK



FE200761

HEAVY-DUTY SERIES L TRACK
WITH 4 (.26" DIAMETER)
COUNTERSUNK MOUNTING
HOLES, 8" SECTION

MATERIAL: 7075-T6 ALUMINUM
WEIGHT: 0.4LB/0.2 KG



FE200763

HEAVY-DUTY SERIES L TRACK
WITH FLANGES AND 4 (.26" DIA.)
COUNTERSUNK MOUNTING
HOLES, 8" SECTION

MATERIAL: 7075-T6 ALUMINUM
WEIGHT: 0.5LB/0.2 KG



FE200762

HEAVY-DUTY SERIES L TRACK
WITH 2 (.42" DIAMETER)
MOUNTING HOLES, 9" SECT.


MATERIAL: 7075-T6 ALUMINUM
WEIGHT: 0.5LB/0.2 KG



FE200765

HEAVY-DUTY SERIES L TRACK
WITH FLANGES AND 2 (.42" DIA.)
MOUNTING HOLES,
9" SECTION

MATERIAL: 7075-T6 ALUMINUM
WEIGHT: 0.6LB/0.3 KG




FE753NA100-04-3

FLANGE SERIES L-TRACK PRE-DRILLED, 100"
LENGTH, STANDARD 82 DEGREE COUNTSUNK
HOLES ARE PRE-DRILLED EVERY 4",
USES 5/16" BOLTS.


FE753NA144-04-3

144" LONG



FE750NA100-04-3

REGULAR SERIES L-TRACK PRE-DRILLED.
100" IN LENGTH. STANDARD 82 DEGREE
COUNTERSUNK HOLES EVERY 4". USES 5/16"
BOLTS.



FE752NA100-04-3

SURFACE ANGLED SERIES L- TRACK
PRE-DRILLED. 100" IN LENGTH.
STANDARD 82 DEGREE COUNTERSUNK HOLES
ARE PRE-DRILLED EVERY 4". USES 5/16" BOLTS



FE748-01-PD4C

HEAVY DUTY SERIES L TRACK WITH
FLANGES AND CLEAR ANODIZED
FINISH. 100" LONG WITH 1/4"
COUNTERSUNK MOUNTING HOLES
SPACED ON 4" CENTERS.

SURE-LOK SYSTEMS



FE201122

GO2 OXYGEN TANK HOLDER
WITH SERIES L FITTING.

FE201122-2

DUAL OXYGEN TANK HOLDER
WITH SERIES L FITTING.



FE201145

HEAVY DUTY STORAGE CONTAINER

FE200746

VINYL STORAGE CONTAINER



FE200750

QUICK STRAP 12" LONG

FE200750-16

QUICK STRAP 16" LONG

TIE DOWN KITS Q'STRAIT SYSTEMS

QRT-360 TIE DOWN KITS

L-TRACK KITS



Q-10007

KIT INCLUDES:

- (4) QRT-360 RETRACTORS WITH L-TRACK FITTINGS
- (1) Q8-6326-A1 LAP & SHOULDER BELT OCCUPANT RE-

STRAINT



Q-10010

KIT INCLUDES:

- (4) QRT-360 RETRACTORS WITH L-TRACK FITTINGS



Q-10014

KIT INCLUDES:

- (4) QRT-360 RETRACTORS
- (1) HR131 RETRACTABLE LAP & SHOULDER BELT W/HEIGHT ADJUSTER

TIE DOWN KITS Q'STRAIT SYSTEMS

QRT-360 TIE DOWN KITS

L-TRACK KITS



Q-8600-A1-L

KIT INCLUDES:

- (4) QRT-360 RETRACTORS
- (1) Q8-6326-A1-T RETRACTABLE
LAP & SHOULDER BELT



Q-8600-A1-L2

KIT INCLUDES:

- (4) QRT-360 RETRACTORS
- (1) Q8-6323-A-131 RETRACTABLE
LAP & SHOULDER BELT
- (1) Q8-6340 LAP BELT EXTENSION



Q-8600-AT-L

KIT INCLUDES:

- (4) QRT-360 RETRACTORS
- (1) Q8-6625-AT MANUAL LAP &
SHOULDER BELT

TIE DOWN KITS Q'STRAIT SYSTEMS

QRT-360 TIE DOWN KITS

SLIDE N' CLICK KITS



Q-10008

KIT INCLUDES:


- (4) QRT-360 RETRACTORS WITH SLIDE 'N CLICK FITTINGS
- (1) Q8-6326-A1 LAP & SHOULDER BELT OCCUPANT RESTRAINT



Q-10009

KIT INCLUDES:

- (4) QRT-360 RETRACTORS WITH SLIDE 'N CLICK FITTINGS



Q-8600-AP-SC

KIT INCLUDES:

- (4) QRT-360 RETRACTORS
- (4) Q8-7580-A SLIDE 'N CLICK FLOOR ANCHORAGES
- (1) Q8-6325-AT MANUAL LAP & SHOULDER BELT

TIE DOWN KITS Q'STRAIT SYSTEMS

QRT-360 PARTS



Q8-6326-A1

ONE RETRACTOR LAP/SHOULDER
BELT, 1 EXTENSION, 2 PIN
CONNECTORS.



Q011012

ONE QRT-360 RETRACTOR
WITH L-TRACK FITTING



Q011022

ONE QRT-360 WITH SLIDE
'N CLICK FITTING

TIE DOWN KITS Q'STRAIT SYSTEMS

QRT MAX TIE DOWN KITS

SLIDE N' CLICK KITS



Q-8306-SC

- * (4) QRT MAX RETRACTOR
- * COMBO LAP/SHOULDER BELT FITTED ONTO L TRACK
- * RETRACTABLE HEIGHT ADJUSTER FITTED ONTO L TRACK



Q8-6209-SC

SINGLE QRT MAX RETRACTOR MTD ON SLIDE N CLICK FITTING.



Q-8300-A1-SC

- * (4) QRT MAX RETRACTORS
- * RETRACTABLE LAP & SHOULDER BELT
- * BOTTOM POCKET ASSEMBLY INCLUDED



Q-8300-A-SC

- * (4) QRT MAX RETRACTORS
- * REGULAR LAP AND SHOULDER BELT
- * BOTTOM POCKET ASSEMBLY INCLUDED



Q-8301-SC

- * (4) QRT MAX RETRACTORS
- * BOTTOM POCKET ASSEMBLY INCLUDED

TIE DOWN KITS Q'STRAIT SYSTEMS

L-TRACK KITS

QRT MAX TIE DOWN KITS



Q-8306-L2

- * (4) QRT MAX RETRACTORS
- * RETRACTABLE COMBO BELT WITH RETRACTABLE HEIGHT ADJUSTER
- * 131 DEGREE L TRACK BRACKET



Q-8301-L

- * (4) QRT MAX RETRACTORS



Q-8300-A1-L

- * (4) QRT MAX RETRACTORS
- PART #Q8-6209-L
- * RETRACTABLE LAP & SHOULDER BELT
- PART #Q8-6326-A1



Q8-6209-L

SINGLE QRT MAX RETRACTOR MTD ON L-TRACK FITTING.



Q-8300-A-L

- * (4) QRT MAX RETRACTORS
- * REGULAR LAP & SHOULDER BELT

FLOOR MOUNTED KITS



Q-8300-A1-F

- * (4) QRT MAX RETRACTORS MOUNTED ONTO 45 DEGREE ANGLE BRACKET
- * RETRACTABLE LAP AND SHOULDER BELT



Q-8301-F

- * (4) QRT MAX RETRACTORS MOUNTED ONTO 45 DEGREE BRACKETS



Q-8300-A-F

- * (4) QRT MAX RETRACTORS MOUNTED ONTO 45 DEGREE BRACKETS
- * REGULAR LAP AND SHOULDER BELT

TIE DOWN KITS Q'STRAIT SYSTEMS

QRT MAX ACCESSORIES



Q8-6301-1
ONE CLAW FOR
CABLE RELEASE
50" CABLE AND
CLAW.



Q8-6301-2
TWO CLAWS FOR
CABLE RELEASE
HANDLE 50"
CABLE AND TWO
CLAWS.

QRT DELUXE TIE DOWN KITS

SLIDE N' CLICK KITS



Q-8100-A-SC
* (4) QRT DELUXE RETRACTORS
* REGULAR LAP AND SHOULDER
BELT
* BOTTOM POCKET ASSEMBLY
INCLUDED



Q-8100-A1-SC
* (4) QRT DELUXE RETRACTORS
* RETRACTABLE LAP AND
SHOULDER BELT
* BOTTOM POCKET ASSEMBLY
INCLUDED



Q-8101-SC
* (4) QRT DELUXE RETRACTORS
* BOTTOM POCKET ASSEMBLY
INCLUDED

L-TRACK KITS



Q-8106-L2
* (4) QRT DELUXE RETRACTORS
* RETRACTABLE LAP AND
SHOULDER BELT WITH
RETRACTABLE HEIGHT ADJ
* 131 DEGREE ANGLE BRACKET



Q-8100-A-L
* (4) QRT DELUXE RETRACTORS
* REGULAR LAP AND
SHOULDER BELT



Q-8100-A1-L
* (4) QRT DELUXE RETRACTORS
* RETRACTABLE LAP &
SHOULDER BELT



Q-8101-L
* (4) QRT DELUXE RETRACTORS

TIE DOWN KITS Q'STRAIT SYSTEMS

QRT DELUXE TIE DOWN KITS

FLOOR MOUNTED KITS



Q-8100-A-F

- * (4) QRT DELUXE RETRACTORS MOUNTED ONTO 45 DEGREE ANGLE BRACKETS
- * REGULAR LAP AND SHOULDER BELTS



Q-8100-A1-F

- * (4) QRT DELUXE RETRACTORS MOUNTED ONTO 45 DEGREE ANGLE BRACKETS
- * RETRACTABLE LAP AND SHOULDER BELTS



Q-8101-F

- * (4) QRT DELUXE RETRACTORS MOUNTED ONTO 45 DEGREE ANGLE BRACKETS

RETRACTOR SYSTEMS



Q8-6200-SC

- SINGLE QRT DELUXE RETRACTOR (DUAL KNOBS) MOUNTED ONTO SLIDE 'N' CLICK FITTING.



Q8-6200-F

- SINGLE QRT DELUXE RETRACTOR (DUAL KNOBS) MOUNTED ONTO 45 DEGREE BRACKET FOR FLOOR MOUNTING



Q8-6200-L

- SINGLE QRT DELUXE RETRACTOR (DUAL KNOBS) MOUNTED ONTO L-TRACK FITTING

ACCESSORIES



Q8-6301-1

- ONE CLAW FOR CABLE RELEASE, USED ON ONE RETRACTOR. RETRACTOR TO BE PURCHASED SEPARATELY. 50" CABLE AND CLAW.

Q8-6301-02

- TWO CLAWS FOR CABLE RELEASE HANDLE (USED ON TWO RETRACTORS, RETRACTOR TO BE PURCHASED SEPARATELY) 50" CABLE AND TWO CLAWS.

TIE DOWN KITS Q'STRAIT SYSTEMS

QRT STANDARD TIE DOWN KITS

SLIDE N' CLICK KITS



Q-8200-A-SC

- * (4) QRT STANDARD RETRACTORS
- * REGULAR LAP & SHOULDER BELT
- * BOTTOM POCKET ASSEMBLY INCLUDED



Q-8200-A1-SC

- * (4) QRT STANDARD RETRACTORS
- * RETRACTABLE LAP AND SHOULDER
- * BOTTOM POCKET ASSEMBLY INCLUDED



Q-8201-SC

- * (4) QRT STANDARD RETRACTORS
- * BOTTOM POCKET ASSEMBLY INCLUDED

L-TRACK KITS



Q-8206-L2

- * (4) QRT STANDARD RETRACTORS
- * RETRACTABLE LAP & SHOULDER BELT WITH RETRACTABLE HEIGHT ADJUSTER
- * 131 DEGREE ANGLE BRACKET



Q-8200-A-L

- * (4) QRT STANDARD RETRACTORS
- * REGULAR LAP & SHOULDER BELT



Q-8200-A1-L

- * (4) QRT STANDARD RETRACTORS
- * RETRACTABLE LAP & SHOULDER BELT



Q-8201-L

- * (4) QRT STANDARD RETRACTORS

TIE DOWN KITS Q'STRAIT SYSTEMS

QRT STANDARD TIE DOWN KITS

FLOOR MOUNTED KITS



Q-8200-A1-F

* (4) QRT STANDARD RETRACTORS

MOUNTED ONTO 45 DEGREE BRACKETS

* RETRACTABLE LAP & SHOULDER BELT



Q-8200-A-F

* (4) QRT STANDARD RETRACTORS MOUNTED ONTO 45 DEGREE ANGLE BRACKET

* REGULAR LAP AND SHOULDER BELT



Q-8201-F

* (4) QRT STANDARD RETRACTORS MOUNTED ONTO 45 DEGREE BRACKETS

RETRACTOR SYSTEMS



Q8-6201-SC

SINGLE QRT STANDARD RETRACTOR (ONE KNOB) MOUNTED ONTO SLIDE 'N' CLICK FITTING.



Q8-6201-L

SINGLE QRT STANDARD RETRACTOR (ONE KNOB) MOUNTED ONTO L-TRACK FITTING.



Q8-6201-F

SINGLE QRT STANDARD RETRACTOR (ONE KNOB) MOUNTED ONTO 45 DEGREE BRACKET FOR FLOOR MOUNTING.

ACCESSORIES



Q8-6301-1

ONE CLAW FOR CABLE RELEASE 50" CABLE AND CLAW.

Q8-6301-2

TWO CLAWS FOR CABLE RELEASE HANDLE 50" CABLE AND TWO CLAWS.

TIE DOWN KITS Q'STRAIT SYSTEMS

M-SERIES TIE DOWN KITS

L-TRACK KITS



M-201-L30

- * (4) OVER-CENTER BUCKLE BELTS



M-305-L30

- * (4) OVER-CENTER BUCKLE BELTS
- * MM-410 SHOULDER BELT
- * MM-320 LAP BELT
- * (4) Q5-7571-A OVAL L-POCKETS



M-300-L30

- * (2) FRONT CAM-BUCKLE BELTS
- * (2) REAR OVER-CENTER BUCKLE BELTS
- * MM-410 SHOULDER BELT
- * MM-320 LAP BELT
- * (4) Q5-7571-A OVAL POCKETS

TIE DOWN KITS

Q'STRAIN ACCESSORIES

T
I
E
D
O
W
N
S
Y
S
T
E
M
S



Q5-6411-TS1
SHOULDER BELT
NECK POSITIONED
FOR L TRACK. BLUE
Q5-6411-TS3
SAME AS ABOVE
(BLACK)



ML-320
LAP BELT FOR THE L
TRACK. FITTINGS
ATTACH TO FLOOR.



Q5-6410-BLK
BLACK SHOULDER
BELT USED WITH
Q-5000 SERIES & M
SERIES.



Q5-6340-12
LAP BELT EXTENSION
(BLUE WEBBING). USE
WITH Q-5000 SERIES.



Q5-6210/11-ER4
ELECTRIC RETRACTOR.



Q8-6324
24" EXTENSION W/D
RINGS/SNAP HOOKS-
MULTI LAP BELT.
REQUIRES 2 PIECES.



Q8-6326-A1
ONE RETRACTOR FOR
LAP/SHOULDER BELT, 1
EXTENSION, 2 PIN
CONNECTORS.



Q8-6326-A2
TWO RETRACTORS FOR
LAP/SHOULDER BELT, 1
EXTENSION, 2 PIN
CONNECTORS.



Q8-6326-A3
(3) RETRACTORS:
(2) FOR LAP
(1) FOR SHOULDER



Q5-8522
STORAGE POUCH FOR
SECUREMENTS.



Q5-7580
WEBBING LOOP MAY
BE USED WITH A
SECUREMENT
WHERE HOOKS CAN
NOT BE FITTED ONTO
THE WHEELCHAIR
FRAME.

TIE DOWN KITS

Q'STRAIT ACCESSORIES



Q5-7571-A
OVAL L-TRACK FLOOR POCKET



Q8-7580
SLIDE 'N CLICK TOP
ASSY. EASY TO USE
ONE HAND OPERATION



Q8-7580-A
SLIDE 'N CLICK
BOTTOM ASSY. EASY
TO USE ONE HAND
OPERATION.



Q5-7570-A
COVERED L-TRACK
FLOOR POCKET



Q8-7583-A
SLIDE 'N' CLICK RETROFIT
FOR Q5-7560-5A.



Q5-7550-T60
COVER FOR L TRACK
60"